




Sl. No	Component	Type	Component picture	Material	State	Recyclable (Yes/No)	Disposal with ECO waste (Yes/No)	Approximate Life in years	initial Disposal method	Potential Impact during usage	Impact assessed area during Reuse/recycle Stage	Potential Impact During Reuse / recycling	Approximate Number of times Material can be recycled	Final Disposal method	Controles
1	Base	Rocket Smart Sun		NYLON-30% GF(glass filled)	solid	yes	no	8	Sold to nearby scrap dealer	During the product use phase our products do not have any Acidification,Eutrophication / Ecotoxicity ,Ozone depletingor Smog or carcinogenic impact .	Ozone Depletion green house gasses Air pollution Carcinogens pesticides Summer Smog Winter Smog Acidifications Eutrophication	Water,air& soil emissions: Polycyclic aromatic hydrocarbons Volatile organic compounds CO2,So,NO, Phosphates,pesticides, particulates may cause carcinogenic impacts to humans during recycling	material can be recycled 2-3 times depends on purity of material.Material can only be recycled finite times before the material will deteriorate stage by stage, then it should finally be disposed	Landfill (when the materials recycling potential is over it is finally disposed)	need to avoid landfill contamination.We will in phased manner use eco friendly methods and avoid material that causes impact on environment. use appropriate Methods and controlled conditions before reprocessing, to avoid air pollution and human contact.(Final disposal & controle methods to be communicated to our customers /Dealers http://www.featherlitefurniture.com/drupal/sites/default/files/pdf_documents/ID.PDF.)
2	ABS/Bushes/ Buffers	Seat covers, leg base bushes & buffers		nylon / Plastic / polyurethane/Polypropylene	solid	Yes	No	8	Sold to nearby scrap dealer	During the product use phase our products do not have any Acidification,Eutrophication / Ecotoxicity ,Ozone depletingor Smog or carcinogenic impact .	Ozone Depletion green house gasses Air pollution Carcinogens pesticides Summer Smog Winter Smog Acidifications Eutrophication	Water,air& soil emissions: Polycyclic aromatic hydrocarbons Volatile organic compounds CO2,So,NO, Phosphates,pesticides, particulates may cause carcinogenic impacts to humans during recycling	material can be recycled 2-3 times depends on purity of material.Material can only be recycled finite times before the material will deteriorate stage by stage, then it should finally be disposed	Landfill (when the materials recycling potential is over it is finally disposed)	need to avoid landfill contamination.We will in phased manner use eco friendly methods and avoid material that causes impact on environment. use appropriate Methods and controlled conditions before reprocessing, to avoid air pollution and human contact.(Final disposal & controle methods to be communicated to our customers /Dealers http://www.featherlitefurniture.com/drupal/sites/default/files/pdf_documents/ID.PDF.)
3	Arms holder	slanted , tafe arms		nylon / Plastic / polyurethane/Polypropylene/Delrin	solid	Yes	No	8	Sold to nearby scrap dealer	During the product use phase our products do not have any Acidification,Eutrophication / Ecotoxicity ,Ozone depletingor Smog or carcinogenic impact .	Ozone Depletion green house gasses Air pollution Carcinogens pesticides Summer Smog Winter Smog Acidifications Eutrophication	Water,air& soil emissions: Polycyclic aromatic hydrocarbons Volatile organic compounds CO2,So,NO, Phosphates,pesticides, particulates may cause carcinogenic impacts to humans during recycling	material can be recycled 2-3 times depends on purity of material.Material can only be recycled finite times before the material will deteriorate stage by stage, then it should finally be disposed	Landfill (when the materials recycling potential is over it is finally disposed)	need to avoid landfill contamination.We will in phased manner use eco friendly methods and avoid material that causes impact on environment. use appropriate Methods and controlled conditions before reprocessing, to avoid air pollution and human contact.(Final disposal & controle methods to be communicated to our customers /Dealers http://www.featherlitefurniture.com/drupal/sites/default/files/pdf_documents/ID.PDF.)
4	Arms/Arm pads	183 , 154 ,chouch arms		nylon / Plastic / (PU)polyurethane/Polyporylene	solid	Yes	No	8	Sold to nearby scrap dealer	During the product use phase our products do not have any Acidification,Eutrophication / Ecotoxicity ,Ozone depletingor Smog or carcinogenic impact .	Ozone Depletion green house gasses Air pollution Carcinogens pesticides Summer Smog Winter Smog Acidifications Eutrophication	Water,air& soil emissions: Polycyclic aromatic hydrocarbons Volatile organic compounds CO2,So,NO, Phosphates,pesticides, particulates may cause carcinogenic impacts to humans during recycling	material can be recycled 2-3 times depends on purity of material.Material can only be recycled finite times before the material will deteriorate stage by stage, then it should finally be disposed	Landfill (when the materials recycling potential is over it is finally disposed)	need to avoid landfill contamination.We will in phased manner use eco friendly methods and avoid material that causes impact on environment. use appropriate Methods and controlled conditions before reprocessing, to avoid air pollution and human contact.(Final disposal & controle methods to be communicated to our customers /Dealers http://www.featherlitefurniture.com/drupal/sites/default/files/pdf_documents/ID.PDF.)
5	BACKS	Magna, Contact, Astro		nylon / Plastic / polyurethane/Polypropylene(PP-GF(20%))	solid	Yes	No	8	Sold to nearby scrap dealer	During the product use phase our products do not have any Acidification,Eutrophication / Ecotoxicity ,Ozone depletingor Smog or carcinogenic impact .	Ozone Depletion green house gasses Air pollution Carcinogens pesticides Summer Smog Winter Smog Acidifications Eutrophication	Water,air& soil emissions: Polycyclic aromatic hydrocarbons Volatile organic compounds CO2,So,NO, Phosphates,pesticides, particulates may cause carcinogenic impacts to humans during recycling	material can be recycled 2-3 times depends on purity of material.Material can only be recycled finite times before the material will deteriorate stage by stage, then it should finally be disposed	Landfill (when the materials recycling potential is over it is finally disposed)	need to avoid landfill contamination.We will in phased manner use eco friendly methods and avoid material that causes impact on environment. use appropriate Methods and controlled conditions before reprocessing, to avoid air pollution and human contact.(Final disposal & controle methods to be communicated to our customers /Dealers http://www.featherlitefurniture.com/drupal/sites/default/files/pdf_documents/ID.PDF.)
6	Fabric	Crape Micra		Polyester	solid	No	No	5	sell to secondary market for other applications like School bags,grocery bags & lining material	During the product use phase our products do not have any Acidification,Eutrophication / Ecotoxicity ,Ozone depletingor Smog or carcinogenic impact .	Ozone Depletion green house gasses Air pollution Carcinogens pesticides Summer Smog Winter Smog Acidifications Eutrophication	Water,air& soil emissions: Polycyclic aromatic hydrocarbons Volatile organic compounds CO2,So,NO, Phosphates,pesticides, particulates may cause carcinogenic impacts to humans during recycling	material can be recycled 2 times depends on purity of material.Material can only be recycled finite times before the material will deteriorate stage by stage, then it should finally be disposed	Landfill (when the materials recycling potential is over it is finally disposed)	need to avoid landfill contamination.We will in phased manner use eco friendly methods and avoid material that causes impact on environment. use appropriate Methods and controlled conditions before reprocessing, to avoid air pollution and human contact.(Final disposal & controle methods to be communicated to our customers /Dealers http://www.featherlitefurniture.com/drupal/sites/default/files/pdf_documents/ID.PDF.)
7	Mesh	AC-60 AC-34 AC-85 AN-70 AN-75		Polyester	solid	No	No	5	sell to secondary market for other applications like School bags & bee keeping suit for visibility and ventilation.	During the product use phase our products do not have any Acidification,Eutrophication / Ecotoxicity ,Ozone depletingor Smog or carcinogenic impact .	Ozone Depletion green house gasses Air pollution Carcinogens pesticides Summer Smog Winter Smog Acidifications Eutrophication	Water,air& soil emissions: Polycyclic aromatic hydrocarbons Volatile organic compounds CO2,So,NO, Phosphates,pesticides, particulates may cause carcinogenic impacts to humans during recycling	material can be recycled 2 times depends on purity of material.Material can only be recycled finite times before the material will deteriorate stage by stage, then it should finally be disposed	Landfill (when the materials recycling potential is over it is finally disposed)	need to avoid landfill contamination.We will in phased manner use eco friendly methods and avoid material that causes impact on environment. use appropriate Methods and controlled conditions before reprocessing, to avoid air pollution and human contact.(Final disposal & controle methods to be communicated to our customers /Dealers http://www.featherlitefurniture.com/drupal/sites/default/files/pdf_documents/ID.PDF.)
8	leatherette	leatherette		synthetic cloth fibers covered in PVC or polyurethane (PU)	solid	No	No	5	sell to secondary market for other applications like valet, hand bags & backpacks.	During the product use phase our products do not have any Acidification,Eutrophication / Ecotoxicity ,Ozone depletingor Smog or carcinogenic impact .	Ozone Depletion green house gasses Air pollution Carcinogens pesticides Summer Smog Winter Smog Acidifications Eutrophication	Water,air& soil emissions: Polycyclic aromatic hydrocarbons Volatile organic compounds CO2,So,NO, Phosphates,pesticides, particulates may cause carcinogenic impacts to humans during recycling	material can be recycled 2 times depends on purity of material.Material can only be recycled finite times before the material will deteriorate stage by stage, then it should finally be disposed	Landfill (when the materials recycling potential is over it is finally disposed)	need to avoid landfill contamination.We will in phased manner use eco friendly methods and avoid material that causes impact on environment. use appropriate Methods and controlled conditions before reprocessing, to avoid air pollution and human contact.(Final disposal & controle methods to be communicated to our customers /Dealers http://www.featherlitefurniture.com/drupal/sites/default/files/pdf_documents/ID.PDF.)
9	Plywood	Seat plywood		Plywood	solid	yes	Biodegradability interact with different factors (type of board, glue, type of raw material, and so on).	5	it can be reused as saw dust for making particleboard/ sell to secondary market /To be Incinerated	During the product use phase our products do not have any Acidification,Eutrophication / Ecotoxicity ,Ozone depletingor Smog or carcinogenic impact .	Ozone Depletion green house gasses Air pollution Carcinogens pesticides Summer Smog Winter Smog Acidifications Eutrophication	Water,air& soil emissions: Polycyclic aromatic hydrocarbons Volatile organic compounds CO2,So,NO, Phosphates,pesticides, particulates may cause carcinogenic impacts to humans during recycling	material can be recycled 3-4 times depends on purity of material. Material can only be recycled finite times before the material will deteriorate stage by stage, then it should finally be disposed	Dry land disposal is acceptable But Biodegradability interact with different factors (type of board, glue, type of raw material, and so on). (when the materials recycling potential is over it is finally disposed)	need to avoid landfill contamination.We will in phased manner use eco friendly methods and avoid material that causes impact on environment. use appropriate Methods and controlled conditions before reprocessing, to avoid air pollution and human contact.(Final disposal & controle methods to be communicated to our customers /Dealers http://www.featherlitefurniture.com/drupal/sites/default/files/pdf_documents/ID.PDF.)

10	corrugated box	2Ply,3ply,5ply,Packing material/consumables		pulp/cellulose fibres	solid	Yes	Biodegradability interact with different factors (type of Cardbord sheet , glue, type of raw material, and so on).	corrugated box are consumable items it should be stored in proper dry conditions. Only for Few years	it can be reused as or Sold to nearby scrap dealer	During the product use phase our products do not have any Acidification,Eutrophication / Ecotoxicity ,Ozone depletingor Smog or carcinogenic impact .	Ozone Depletion green house gasses Air pollution Carcinogens pesticides Summer Smog Winter Smog Acidifications Eutrophication	Water,air& soil emissions: Polycyclic aromatic hydrocarbons Volatile organic compounds CO2,So,NO, Phosphates,pesticides, particulates may cause carcinogenic impacts to humans during recycling	it can be reused & recycled few times and then disposed	Dry land disposal is acceptable But Biodegradability interact with different factors (type of Cardbord sheet , glue, type of raw material, and so on). (when the materials recycling potential is over it is finally disposed)	need to avoid lanom contamination.we wnr in phased manner use eco friendly methods and avoid material that causes impact on environment. use appropriate Methods and controlled conditions before reprocessing, to avoid air pollution and human contact.(Final disposal & controle methods to be communicated to our customers /Dealers http://www.featherlitefurniture.com/drupal/sites/default/files/pdf_documents/ID.PDF.)
11	castors	CT-500 CT-600 CT-650		PP(Polypropylene)/ Nylon6 / PA6(Polyamide 6)/polyurethane	solid	yes	no	8	Sold to nearby scrap dealer	During the product use phase our products do not have any Acidification,Eutrophication / Ecotoxicity ,Ozone depletingor Smog or carcinogenic impact .	Ozone Depletion green house gasses Air pollution Carcinogens pesticides Summer Smog Winter Smog Acidifications Eutrophication	Water,air& soil emissions: Polycyclic aromatic hydrocarbons Volatile organic compounds CO2,So,NO, Phosphates,pesticides, particulates may cause carcinogenic impacts to humans during recycling	material can be recycled 2 times depends on purity of material.Material can only be recycled finite times before the material will deteriorate stage by stage, then it should finally be disposed	Landfill gather material and place in appropriate container for disposal (when the materials recycling potential is over it is finally disposed)	need to avoid lanom contamination.we wnr in phased manner use eco friendly methods and avoid material that causes impact on environment. use appropriate Methods and controlled conditions before reprocessing, to avoid air pollution and human contact.(Final disposal & controle methods to be communicated to our customers /Dealers http://www.featherlitefurniture.com/drupal/sites/default/files/pdf_documents/ID.PDF.)
12	poly /bubble cover	Packing material/consumables		low-density polyethylene	solid	Yes	No	poly /bubble cover are consumable items it should be stored in proper dry conditions. Only for Few years	Refer to manufacturer/supplier for information on recovery/recycling. it can be reused or Sold to nearby scrap dealer	During the product use phase our products do not have any Acidification,Eutrophication / Ecotoxicity ,Ozone depletingor Smog or carcinogenic impact .	Ozone Depletion green house gasses Air pollution Carcinogens pesticides Summer Smog Winter Smog Acidifications Eutrophication	Water,air& soil emissions: Polycyclic aromatic hydrocarbons Volatile organic compounds CO2,So,NO, Phosphates,pesticides, particulates may cause carcinogenic impacts to humans during recycling	it can be reused & recycled few times and then disposed	Landfill (when the materials recycling potential is over it is finally disposed)	need to avoid lanom contamination.we wnr in phased manner use eco friendly methods and avoid material that causes impact on environment. use appropriate Methods and controlled conditions before reprocessing, to avoid air pollution and human contact.(Final disposal & controle methods to be communicated to our customers /Dealers http://www.featherlitefurniture.com/drupal/sites/default/files/pdf_documents/ID.PDF.)
13	Box Packaging Strap (bel patti)	PP Box Strapping Roll/consumables		PP(Polypropylene)	solid	Yes	No	Box Packaging Strap are consumable items . 8 years	it can be reused or Sold to nearby scrap dealer	During the product use phase our products do not have any Acidification,Eutrophication / Ecotoxicity ,Ozone depletingor Smog or carcinogenic impact .	Ozone Depletion green house gasses Air pollution Carcinogens pesticides Summer Smog Winter Smog Acidifications Eutrophication	Water,air& soil emissions: Polycyclic aromatic hydrocarbons Volatile organic compounds CO2,So,NO, Phosphates,pesticides, particulates may cause carcinogenic impacts to humans during recycling	it can be reused & recycled few times and then disposed	Landfill (when the materials recycling potential is over it is finally disposed)	need to avoid lanom contamination.we wnr in phased manner use eco friendly methods and avoid material that causes impact on environment. use appropriate Methods and controlled conditions before reprocessing, to avoid air pollution and human contact.(Final disposal & controle methods to be communicated to our customers /Dealers http://www.featherlitefurniture.com/drupal/sites/default/files/pdf_documents/ID.PDF.)
14	BOPP tape	consumables/biaxial oriented polypropylene (BOPP)		Biaxially Oriented (Polypropylene)	solid	Yes	No	BOPP tapes are consumable items 5 to 10 years	Sold to nearby scrap dealer	During the product use phase our products do not have any Acidification,Eutrophication / Ecotoxicity ,Ozone depletingor Smog or carcinogenic impact .	Ozone Depletion green house gasses Air pollution Carcinogens pesticides Summer Smog Winter Smog Acidifications Eutrophication	Water,air& soil emissions: Polycyclic aromatic hydrocarbons Volatile organic compounds CO2,So,NO, Phosphates,pesticides, particulates may cause carcinogenic impacts to humans during recycling	In the case of thermal recycling, the adhesive tape, which has been sorted, does not cause harmful emissions. it can be recycled few times and then disposed.	Landfill (when the materials recycling potential is over it is finally disposed)	need to avoid lanom contamination.we wnr in phased manner use eco friendly methods and avoid material that causes impact on environment. use appropriate Methods and controlled conditions before reprocessing, to avoid air pollution and human contact.(Final disposal & controle methods to be communicated to our customers /Dealers http://www.featherlitefurniture.com/drupal/sites/default/files/pdf_documents/ID.PDF.)
15	seat foam	Contact Mercury indigo		Polyoil/ISO Cynate	solid	No	No	5	sell to secondary market for other applications like pillows,cushions&car head rests	During the product use phase our products do not have any Acidification,Eutrophication / Ecotoxicity ,Ozone depletingor Smog or carcinogenic impact .	Ozone Depletion green house gasses Air pollution Carcinogens pesticides Summer Smog Winter Smog Acidifications Eutrophication	Water,air& soil emissions: Polycyclic aromatic hydrocarbons Volatile organic compounds CO2,So,NO, Phosphates,pesticides, particulates may cause carcinogenic impacts to humans during recycling	Reuse by making pillows and head rest	Landfill (when the materials recycling potential is over it is finally disposed)	need to avoid lanom contamination.we wnr in phased manner use eco friendly methods and avoid material that causes impact on environment. use appropriate Methods and controlled conditions before reprocessing, to avoid air pollution and human contact.(Final disposal & controle methods to be communicated to our customers /Dealers http://www.featherlitefurniture.com/drupal/sites/default/files/pdf_documents/ID.PDF.)
16	Base	Veta Beta Zeta Aluminium		Mild steel/Aluminium	solid	yes	no	10	Sold to nearby scrap dealer	During the product use phase our products do not have any Acidification,Eutrophication / Ecotoxicity ,Ozone depletingor Smog or carcinogenic impact .	Ozone Depletion green house gasses Air pollution Carcinogens pesticides Summer Smog Winter Smog Acidifications Eutrophication	Water,air& soil emissions: Polycyclic aromatic hydrocarbons Volatile organic compounds CO2,So,NO, Phosphates,pesticides, particulates may cause carcinogenic impacts to humans during recycling	Metal can be recycled time and time again without degrading	Recycle	We will in phased manner use water soluble surface coatings and avoid material that causes impact. There are no controls we have to communicate/institute in the recycle phase and are taken care by the metal foundries .(Final disposal & controle methods to be communicated to our customers /Dealers http://www.featherlitefurniture.com/drupal/sites/default/files/pdf_documents/ID.PDF.)
17	Gaslift	Regular Swage(100) 125 Single swage Double Swage		Mild steel	solid	yes	no	10	Sold to nearby scrap dealer	During the product use phase our products do not have any Acidification,Eutrophication / Ecotoxicity ,Ozone depletingor Smog or carcinogenic impact .	Ozone Depletion green house gasses Air pollution Carcinogens pesticides Summer Smog Winter Smog Acidifications Eutrophication	Water,air& soil emissions: Polycyclic aromatic hydrocarbons Volatile organic compounds CO2,So,NO, Phosphates,pesticides, particulates may cause carcinogenic impacts to humans during recycling	Metal can be recycled time and time again without degrading	Recycle	We will in phased manner use water soluble surface coatings and avoid material that causes impact. There are no controls we have to communicate/institute in the recycle phase and are taken care by the metal foundries .(Final disposal & controle methods to be communicated to our customers /Dealers http://www.featherlitefurniture.com/drupal/sites/default/files/pdf_documents/ID.PDF.)
18	Mechanism	Multilock singlelock Centertilt Kneetilt Nontilting		Mild steel	solid	yes	no	10	Sold to nearby scrap dealer	During the product use phase our products do not have any Acidification,Eutrophication / Ecotoxicity ,Ozone depletingor Smog or carcinogenic impact .	Ozone Depletion green house gasses Air pollution Carcinogens pesticides Summer Smog Winter Smog Acidifications Eutrophication	Water,air& soil emissions: Polycyclic aromatic hydrocarbons Volatile organic compounds CO2,So,NO, Phosphates,pesticides, particulates may cause carcinogenic impacts to humans during recycling	Metal can be recycled time and time again without degrading	Recycle	We will in phased manner use water soluble surface coatings and avoid material that causes impact. There are no controls we have to communicate/institute in the recycle phase and are taken care by the metal foundries .(Final disposal & controle methods to be communicated to our customers /Dealers http://www.featherlitefurniture.com/drupal/sites/default/files/pdf_documents/ID.PDF.)
19	Back bend	J bend		Mild steel	solid	yes	no	10	Sold to nearby scrap dealer	During the product use phase our products do not have any Acidification,Eutrophication / Ecotoxicity ,Ozone depletingor Smog or carcinogenic impact .	Ozone Depletion green house gasses Air pollution Carcinogens pesticides Summer Smog Winter Smog Acidifications Eutrophication	Water,air& soil emissions: Polycyclic aromatic hydrocarbons Volatile organic compounds CO2,So,NO, Phosphates,pesticides, particulates may cause carcinogenic impacts to humans during recycling	Metal can be recycled time and time again without degrading	Recycle	We will in phased manner use water soluble surface coatings and avoid material that causes impact. There are no controls we have to communicate/institute in the recycle phase and are taken care by the metal foundries .(Final disposal & controle methods to be communicated to our customers /Dealers http://www.featherlitefurniture.com/drupal/sites/default/files/pdf_documents/ID.PDF.)

20	Back frame	solid		Mild steel	solid	yes	no	10	Sold to nearby scrap dealer	During the product use phase our products do not have any Acidification,Eutrophication / Ecotoxicity ,Ozone depletingor Smog or carcinogenic impact .	Ozone Depletion green house gasses Air pollution Carcinogens pesticides Summer Smog Winter Smog Acidificatiions Eutrophication	Water,air& soil emissions: Polycyclic aromatic hydrocarbons Volatile organic compounds CO2,So,NO, Phosphates,pesticides, particulates may cause carcinogenic impacts to humans during recycling	Metal can be recycled time and time again without degrading	Recycle	We will in phased manner use water soluble surface coatings and avoid material that causes impact. There are no controls we have to communicate/institute in the recycle phase and are taken care by the metal foundries . (Final disposal & controle methods to be communcated to our costumers /Dealers http://www.featherlitefurniture.com/drupal/sites/default/files/pdf_documents/ID.PDF.)
21	fasteners	Allen Bolts, allen flang,washers,screws		Mild steel	solid	Yes	No	10	Sold to nearby scrap dealer	During the product use phase our products do not have any Acidification,Eutrophication / Ecotoxicity ,Ozone depletingor Smog or carcinogenic impact .	Ozone Depletion green house gasses Air pollution Carcinogens pesticides Summer Smog Winter Smog Acidificatiions Eutrophication	Water,air& soil emissions: Polycyclic aromatic hydrocarbons Volatile organic compounds CO2,So,NO, Phosphates,pesticides, particulates may cause carcinogenic impacts to humans during recycling	Metal can be recycled time and time again without degrading	Recycle	We will in phased manner use water soluble surface coatings and avoid material that causes impact. There are no controls we have to communicate/institute in the recycle phase and are taken care by the metal foundries . (Final disposal & controle methods to be communcated to our costumers /Dealers http://www.featherlitefurniture.com/drupal/sites/default/files/pdf_documents/ID.PDF.)

Prepared by (Designer-FP3):
Checked & Approved by (HOD-FP3-Design):

Format No.: FP/IM/D/DD/3166, Rev.0, Date: 05.10.2017